PRINTED: 07/12/2012 FORM APPROVED

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/O		(X2) MULTIPLE CONSTRUCTION		(X3) DATE SURVEY COMPLETED	
				A. BUILDING B. WING			
005007						05/22/2012	
			STREET ADDRE		TE, ZIP CODE		
				0 S LAFOUNTAIN ST COMO, IN 46904			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULI REGULATORY OR LSC IDENTIFYING INFORMATION			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
S 000	This visit was for investigation of a State hospital complaint. Complaint Number: IN00102179 Unsubstantiated: lack of sufficient evidence Date: 4/3/12 and 5/10/12 Facility Number: 005007 Surveyor: Jacqueline Brown, R.N. Public Health Nurse Surveyor Howard Regional Health System is in compliance with 410 IAC 15-1.5-2, Infection control and 410 IAC 15-1.5-8, Physical plant, Indiana Hospital Licensure Rules.			S 000			
	QA: claughlin 06/14/12						

Indiana State Department of Health

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE